



December 21, 2018

**VIA EMAIL**

Synergistic Pesticide Laboratory  
Camille Holladay  
2700 N. Hayden Island Drive, Bldg B  
Portland, OR 97217

**Re: Extension for ISO/IEC17025 accreditation**


Dear Camille:

This letter is to inform you that your accreditation for ISO/IEC 17025 will expire on 12/23/18. We have granted you an extension of 45 days from the expiration date on your certificate and scope of accreditation. If you have any questions or concerns regarding this matter, please feel free to contact me or your Accreditation Manager.

Regards,



Dominique Hausch  
Senior Client Coordinator  
ANSI-ASQ National Accreditation Board  
Direct line: (414) 501-5346 Main office line: (414) 501-5494  
dhausch@anab.org





# CERTIFICATE OF ACCREDITATION

## ANSI-ASQ National Accreditation Board

500 Montgomery Street, Suite 625, Alexandria, VA 22314, 877-344-3044

This is to certify that

### Synergistic Pesticide Laboratory, LLC

2700 N. Hayden Island Dr., Bldg. B  
Portland OR 97217

has been assessed by ANAB  
and meets the requirements of international standard

## ISO/IEC 17025:2005

while demonstrating technical competence in the field of

## TESTING

Refer to the accompanying Scope of Accreditation for information regarding the types of tests to which this accreditation applies.

AT-1905

Certificate Number



ANAB Approval

Certificate Valid: 05/15/2018 - 12/23/2018  
Version No. 005 Issued: 05/15/2018



This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).

**SCOPE OF ACCREDITATION TO ISO/IEC 17025:2005**

**Synergistic Pesticide Laboratory, LLC**

2700 N. Hayden Island Dr., Bldg. B  
Portland, OR 97217

Camille Holladay Phone: 503-641-0500  
[cholladay@synpestlab.com](mailto:cholladay@synpestlab.com) [www.synpestlab.com](http://www.synpestlab.com)

**TESTING**

Valid to: **December 23, 2018**

Certificate Number: **AT-1905**

**Chemical**

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Multiresidue Pesticide Screen	QuEChERS EN 15662 with clean up	Agricultural Commodities, Foods, Processed Foods	GC/MS
Multiresidue Pesticide Screen	QuEChERS EN 15662 with clean up	Agricultural Commodities, Foods, Processed Foods	LC/MS/MS
SPL Fruit Pesticide Screen	QuEChERS EN 15662 with clean up	Agricultural Commodities, Foods, Processed Foods	GC/MS
SPL Fruit Pesticide Screen	QuEChERS EN 15662 with clean up	Agricultural Commodities, Foods, Processed Foods	LC/MS/MS

Note:

- This scope is formatted as part of a single document including Certificate of Accreditation No. AT-1905.



\_\_\_\_\_  
Vice President