



CERTIFICATE OF ACCREDITATION

The ANSI National Accreditation Board

Hereby attests that

Synergistic Pesticide Laboratory, LLC
2700 N. Hayden Island Dr., Bldg. B
Portland, OR 97217

Fulfills the requirements of

ISO/IEC 17025:2017

In the field of

TESTING

This certificate is valid only when accompanied by a current scope of accreditation document.
The current scope of accreditation can be verified at www.anab.org.

A handwritten signature in black ink, appearing to read 'R. Douglas Leonard Jr.', is positioned above a solid horizontal line.

R. Douglas Leonard Jr., VP, PILR SBU

Expiry Date: 23 December 2022
Certificate Number: AT-1905



This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory
quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

Synergistic Pesticide Laboratory, LLC

2700 N. Hayden Island Dr., Bldg. B
Portland, OR 97217

Camille Holladay Phone: 503-641-0500
holladay@synpestlab.com www.synpestlab.com

TESTING

Valid to: **December 23, 2022**

Certificate Number: **AT-1905**

Chemical

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Multiresidue Pesticide Screen	QuEChERS EN 15662 with clean up	Agricultural Commodities, Foods, Processed Foods	GC/MS/MS
Multiresidue Pesticide Screen	QuEChERS EN 15662 with clean up	Agricultural Commodities, Foods, Processed Foods	LC/MS/MS
SPL Fruit Pesticide Screen	QuEChERS EN 15662 with clean up	Agricultural Commodities, Foods, Processed Foods	GC/MS/MS
SPL Fruit Pesticide Screen	QuEChERS EN 15662 with clean up	Agricultural Commodities, Foods, Processed Foods	LC/MS/MS
Multiresidue Pesticide Screen	QuEChERS EN 15662	Soil	GC/MS/MS
Multiresidue Pesticide Screen	QuEChERS EN 15662	Soil	LC/MS/MS
Multiresidue Pesticide Screen	EPA 3510C	Water	GC/MS/MS

Chemical

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Multiresidue Pesticide Screen	EPA 3510C	Water	LC/MS/MS
Multiresidue Pesticide Screen	QuEChERS EN 15662 with clean up	Pollen	GC/MS/MS
Multiresidue Pesticide Screen	QuEChERS EN 15662 with clean up	Pollen	LC/MS/MS
Sulfonylurea Herbicide Screen	QuEChERS EN 15662	Agricultural Commodities, Foods, Processed Foods	LC/MS/MS
Sulfonylurea Herbicide Screen	QuEChERS EN 15662	Plant	LC/MS/MS
Sulfonylurea Herbicide Screen	QuEChERS EN 15662	Soil	LC/MS/MS

Note:

1. This scope is formatted as part of a single document including Certificate of Accreditation No. AT-1905.



R. Douglas Leonard Jr., VP, PILR SBU